

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	229	((OYAMA near2 JOHNSON) or (KATO near2 RYOJI) or (RUNE near2 JOHAN) or (LARSSON near2 TONY)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 13:28
S2	13	((OYAMA near2 JOHNSON) or (KATO near2 RYOJI) or (RUNE near2 JOHAN) or (LARSSON near2 TONY)).in. (mobile IP "6").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 13:28
S3	2	((OYAMA near2 JOHNSON) or (KATO near2 RYOJI) or (RUNE near2 JOHAN) or (LARSSON near2 TONY)).in. (mobile IP authenticat\$4 accounting).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 13:29
S4	1	(713/171.ccls.) (mobile near2 IP near2 ((version near "6") or v6 or v?6) same (authenticat\$4 accounting)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 13:32
S5	1	(713/171.ccls.) ((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 13:33
S6	1	("713"/\$.ccls.) ((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 13:34
S7	1	("370"/\$.ccls.) ((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 13:34

S10	33	((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz \$4)) (@ad<"20040615")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 13:35
S11	11	((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz \$4)) (home visit\$4) (@ad<"20040615")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 13:39
S13	2	"20020199104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 13:42
S14	1	("370"/\$.ccls.) ((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 14:49
S15	1	("726"/\$.ccls.) ((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 14:49
S17	10	((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz \$4)) ((home visit\$4) \$4network\$) (@ad<"20040615")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 14:53
S18	3	((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz \$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 15:07
S19	7	((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz \$4)) (home visit\$4) (@ad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 15:15

S20	5	((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz\$4)) ((home visit\$4) near5 \$4network\$4) (@ad< "20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 15:17
S21	26	((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6))((authenticat\$4 authoriz\$4 account\$4) or AAA) ((home visit\$4) near5 \$4network\$4) (@ad< "20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/15 15:20
S22	14	(@ad< "20030618") (\$2IPv6 or (IP near2 version "6")) ((authenticat\$4 authorizat\$4) or AAA)((visit\$4 near2 \$4network\$4) with (home near2 \$4network\$4) same (authenticat\$4 or authorizat\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/16 08:03
S23	2	(@ad< "20030618") (EAP TLV) (diamet\$3 radius)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/16 12:52
S24	76	(AAA (authenticat\$4 authoriz\$4 account\$4)) AND ((home visit\$4) near5 \$4network\$4) AND (MIPv6 MIPv?6 MIP \$2V6 (mobile near4 IP near4 (V?6 V6 (version near3 "6")))) AND (@ad< "20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:17
S25	25	(AAA (authenticat\$4 authoriz\$4 account\$4)) AND ((home visit\$4) near5 \$4network\$4) AND (MIPv6 MIPv?6 MIP \$2V6 (mobile near4 IP near4 (V?6 V6 (version near3 "6")))) AND (@ad< "20030618") AND (AAA (authenticat\$4 authoriz\$4 account\$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:18

S26	27	(AAA (authenticat\$4 authoriz \$4 account\$4)) AND ((home visit\$4) near5 \$4network\$4) AND (MI Pv6 MIPv?6 MIP \$2V6 (mobile near4 IP near4 (V?6 V6 (version near3 "6")))) AND (@ad<"20030618") AND (AAA (authenticat\$4 authoriz \$4 account\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:18
S28	25	(AAA (authenticat\$4 authoriz \$4 account\$4)) AND ((home visit\$4) near5 \$4network\$4) AND (MI Pv6 MIPv?6 MIP \$2V6 (mobile near4 IP near4 (V?6 V6 (version near3 "6")))) AND (@ad<"20030618") AND (AAA (authenticat\$4 authoriz \$4 account\$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 17:32
S29	77	(AAA (authenticat\$4 authoriz \$4 account\$4)) AND ((home visit\$4) near5 \$4network\$4) AND (MI Pv6 MIPv?6 MIP \$2V6 (mobile near4 IP near4 (V?6 V6 (version near3 "6")))) AND (@ad<"20030618") AND (AAA (authenticat\$4 authoriz \$4 account\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 17:32
S30	25	(AAA (authenticat\$4 authoriz \$4 account\$4)).ab. AND ((home visit\$4) near5 \$4network\$4) AND (MI Pv6 MIPv?6 MIP\$2V6 (mobile near4 IP near4 (V?6 V6 (version near3 "6")))) AND (@ad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 17:32
S31	27	(AAA (authenticat\$4 authoriz \$4 account\$4)).clm. AND ((home visit\$4) near5 \$4network\$4) AND (MI Pv6 MIPv?6 MIP\$2V6 (mobile near4 IP near4 (V?6 V6 (version near3 "6")))) AND (@ad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 17:33
S32	18	((mobile near2 IP near2 ((version near "6") or v6 or v?6) or MIPv6) same (authenticat\$4 or authoriz \$4)) (@ad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/07/28 09:26

S33	21	((mobile near3 IP near7 ((version adj2 "6") v6 v?6) MI Pv6) same (authenticat\$4 authoriz\$4)) AND (@ad< "20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/28 09:27
S34	7	((mobile near3 IP near7 ((version adj2 "6") v6 v?6) MI Pv6) same (authenticat\$4 authoriz\$4)) AND (encrypt\$4 same (visit\$4 home)) AND (@ad< "20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/28 09:30
S35	10	((mobile near3 IP near7 ((version adj2 "6") v6 v?6) MI Pv6) same (authenticat\$4 authoriz\$4)) AND (encrypt\$4 with (packet message data authenticat\$4 authoriz\$7)) AND (visit\$4 home AAA) AND (@ad< "20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/28 09:32
S36	4	("20040047348" "20040114553").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/28 09:47
S37	2	"20030039234".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/28 14:45
S38	2	"20020199104".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/28 15:54
S39	93	((visit\$4 with home with network\$4 same AAA)) AND (@ad< "20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/28 16:26
S40	17	((visit\$4 with home with network\$4 same AAA)) AND (encrypt\$4 with (node MN mobile)) AND (@ad< "20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/28 16:26

S41	24	((visit\$4 with home with network\$4 same AAA)) AND (IPv6 (version adj "6")) AND (@ad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 10:09
S42	24	((visit\$4 with home with network\$4 same AAA)) AND (IPv6 MI Pv6 (version adj "6")) AND (@ad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 10:09
S44	4	((visit\$4 with home with network\$4 same AAA)) AND (((pass adj through) passthrough) same authenticat\$4) AND (@ad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/31 13:17
S45	4	((visit\$4 with home with network\$4 same AAA)) AND (((pass adj through) passthrough) same authenticat\$4) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/31 13:17
S46	6	((visit\$4 with home with network\$4 same AAA)) AND (((pass adj through) passthrough) same (authenticat\$4 node gateway)) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/31 13:19
S47	116	((visit\$4 with home with network\$4)) AND (((pass adj through) passthrough) same (authenticat\$4 node gateway)) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/31 13:19
S48	37	(((pass adj through) passthrough) same (EAP)) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/31 14:36
S49	23	(((pass adj through) passthrough) same (EAP) same authenticat\$4) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/31 14:36

S50	106	((pass adj through) passthrough) near6 (node agent NAS AS mode) same (EAP authenticat\$4)) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/01 08:57
S51	58	((pass adj through) passthrough) near6 (node agent NAS AS mode) same (EAP authenticat\$4)) AND ((AAA\$2 server RADIUS home visit\$4) near6 (authenticat\$4 EAP TLS)) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/01 08:58
S52	2	"20050210251".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/01 09:07
S53	4	(EAP with (TVL ("type" adj "length" adj "value")))) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/01 10:19
S54	2	"7079499".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/01 13:24
S55	7	(EAP with (TLV ("type" adj "length" adj "value")))) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/01 13:25
S56	5	(EAP same (TLV ("type" adj "length" adj "value")))) AND ((RADIUS same Diameter\$4) ((PANA PPP "802"))) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/01 13:28
S57	2	EAP AND (PANA with (PPP "802"))) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/01 14:18

S58	2	(PANA with (PPP "802")) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/01 14:19
S59	33	((pass adj through) passthrough) near6 (node agent NAS AS mode) same (EAP authenticat\$4)) AND ((AAA\$2 server RADIUS home visit\$4) near6 (authenticat\$4 EAP TLS)) AND (EAP nears header) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 11:31
S60	0	((pass adj through) passthrough) near6 (node agent NAS AS mode) same (EAP authenticat\$4)) AND ((AAA\$2 server RADIUS home visit\$4) near6 (authenticat\$4 EAP TLS)) AND (EAP nears header) AND (visit\$4 near4 (agent server network\$3 AP AAA client AP)) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 11:36
S61	0	((visit\$4 near4 network\$3) with (home near3 network \$3)) AND (AAA near4 (client server) same EAP) AND ((pass\$2through (pass adj through)) near4 (node agent server client router) same authenticat\$4) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 11:39
S62	0	((pass adj through) passthrough) near6 (node agent NAS AS mode) same (EAP authenticat\$4)) AND ((AAA\$2 server RADIUS home visit\$4) near6 (authenticat\$4 EAP TLS)) AND (EAP near3 header) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 14:30

S63	0	((pass adj through) passthrough) near6 (node agent NAS AS mode) same (EAP authenticat\$4)) AND ((AAA\$2 server RADIUS home visit\$4) near6 (authenticat\$4 EAP TLS)) AND ((home visit\$3) near3 (network\$3 server agent) same EAP) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 14:31
S64	0	((pass adj through) passthrough pass\$2through) near6 (node agent NAS AS mode server client) same (EAP authenticat\$4)) AND ((AAA\$2 server RADIUS home visit\$4) near6 (authenticat\$4 EAP TLS)) AND ((home visit\$3) near3 (network\$3 server agent) same EAP) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 14:36
S65	14	(EAP with authenticat\$4) AND (visit\$4 with home with (network\$3 agent client server) same authenticat\$4) AND ((pass\$2through (pass adjs through)) near4 (node agent server client AP) same authenticat\$4) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 14:53
S66	5	(EAP with authenticat\$4 with (mobile phone)) AND (visit\$4 with home with (network\$3 agent client server) same authenticat\$4) AND ((pass \$2through (pass adjs through)) near4 (node agent server client AP) same authenticat\$4) AND (@ad<"20030618" @rlad<"20030618")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 14:53
S67	9	S65 not S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/23 14:55

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S68	0	713/168.ccls. AND (authenticat\$4 same EAP same (pass\$2through (pass adj through)) same ((visit \$4 home) near3 (server network\$3))) .clm.	US-PGPUB	OR	ON	2011/02/23 15:03
S69	0	713/168.ccls. AND (authenticat\$4 same EAP same (pass\$2through (pass adj through)) AND ((visit\$4 home) near3 (server network\$3))) .clm.	US-PGPUB	OR	ON	2011/02/23 15:03
S70	0	713/171.ccls. AND (authenticat\$4 same EAP same (pass\$2through (pass adj through)) AND ((visit\$4 home) near3 (server network\$3))) .clm.	US-PGPUB	OR	ON	2011/02/23 15:03
S71	0	"713"/\$.ccls. AND (authenticat\$4 same EAP same (pass\$2through (pass adj through)) AND ((visit\$4 home) near3 (server client network\$3))) .clm.	US-PGPUB	OR	ON	2011/02/23 15:03
S72	0	"370"/338.ccls. AND (authenticat\$4 same EAP same (pass\$2through (pass adj through)) AND ((visit\$4 home) near3 (server client network\$3))) .clm.	US-PGPUB	OR	ON	2011/02/23 15:04
S73	0	"370"/339.ccls. AND (authenticat\$4 same EAP same (pass\$2through (pass adj through)) AND ((visit\$4 home) near3 (server client network\$3))) .clm.	US-PGPUB	OR	ON	2011/02/23 15:04
S74	0	"370"/\$.ccls. AND (authenticat\$4 same EAP same (pass\$2through (pass adj through)) AND ((visit\$4 home) near3 (server client network\$3))) .clm.	US-PGPUB	OR	ON	2011/02/23 15:04
S75	0	(authenticat\$4 same EAP same (pass\$2through (pass adj through)) AND ((visit\$4 home) near3 (server client network\$3))) .clm.	US-PGPUB	OR	ON	2011/02/23 15:04

2/ 23/ 2011 3:05:07 PM

C:\Documents and Settings\lpham7\My Documents\ EAST\ Workspaces\ 10\ 10-595-019.wsp